Set Name Query ide by side		Hit Count Set Name result set	
DB=USPT; PLUR=YES; OP=ADJ			·
<u>L14</u>	L12 not l13	. 5	<u>L14</u>
<u>L13</u>	L12 and 17	13	<u>L13</u>
<u>L12</u>	(L3 or l2 or l1) and l11	18	<u>L12</u>
<u>L11</u>	execut\$ same portion same application	5976	<u>L11</u>
<u>L10</u>	(L3 or 12 or 11) and 19	0	<u>L10</u>
<u>L9</u>	execut\$ with portion with application	1655	<u>L9</u>
<u>L8</u>	(L3 or 12 or 11) and 17	23	<u>L8</u>
<u>L7</u>	709/2\$\$.ccls.	18014	<u>L7</u>
<u>L6</u>	(L3 or l2 or l1) same time out	0	<u>L6</u>
<u>L5</u>	(L3 or 12 or 11) same time-out	0	<u>L5</u>
<u>L4</u>	(L3 or l2 or l1) same timeout	2	<u>L4</u>
<u>L3</u>	application same network same keep alive	41	<u>L3</u>
<u>L2</u>	application same network same keepalive	4	. <u>L2</u>
<u>L1</u>	application same network same keep-alive	31	<u>L1</u>

END OF SEARCH HISTORY